



# CERTIFICATE

No. Z10 040393 0028 Rev. 05

**Holder of Certificate:** **Euchner GmbH + Co. KG**

Kohlhammerstr. 16  
70771 Leinfelden-Echterdingen  
GERMANY

**Certification Mark:**



**Product:** **Access-Control System**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** EL106988C

**Valid until:** 2031-05-21

**Date,** 2026-05-27

*Volker Schneider*

( Dr.-Ing. Volker Schneider )



# CERTIFICATE

No. Z10 040393 0028 Rev. 05

## Parameters:

Rated input current:	Max. 4 A
Degree of protection:	IP65
MGB2 System	
Operating Voltage:	DC 24 V +20% / -15%
Ambient temperature:	-30 °C ... +55 °C (without MBM-PN)
MGB2 MBM-PN	
Ambient temperature:	-25 °C ... +55 °C
MGB2 MCM	
Operating Voltage:	DC 24 V +15% / -15%

The report and the user documentation in the current valid revision are mandatory part of this certificate. The product complies with the following safety requirements only if the specifications documented in the currently valid revision of this report are met. The certified components are listed in report EL92071C in the current valid revision.

## Tested according to:

EN 60947-5-3:2013  
EN 61508-1:2010 (SIL 3)  
EN 61508-2:2010 (SIL 3)  
EN 61508-3:2010 (SIL 3)  
EN IEC 62061:2021 (maximum SIL 3)  
EN ISO 13849-1:2023 (Cat. 4, PL e)  
EN ISO 14119:2025

## Model(s)

**MGB2**